



Work Order (Bid Form)

WORK ORDER INFORMATION

Work Order Name: WO/40004CL1024

Work Order Type: Weatherization

Audit Name: 40004CL1024

CLIENT INFORMATION

Client Name:

Address:

Client ID: 40004CL1024

Alt. Client ID: MONTGOMERY

AGENCY INFORMATION

Agency: Clarksville-Montgomery CCAA

Agency Phone: (931) 648-5774

Address: (PO Box 487) 350 Pageant Lane, Suite 307
Clarksville, TN 37041-0847

Fax: (931) 648-5784

Email Address: wendyfuqua@hotmail.com

Agency Contact: CARLISLE, RON

Work Phone:

Cell Phone: (423) 736-0678

Email Address: ronald.carlisle@gmail.com

Company Name & License Number: _____

Contractor's Signature: _____

COMMENT

1129 SQ. F.T RANCH BUILT ON A LOW CRAWL SPACE IN 1910- WOOD SIDING

ALL WORK TO BE DONE IN ACCORDANCE WITH THE TENNESSEE WEATHERIZATION FIELD GUIDE

CONTRACTOR IS RESPONSIBLE TO VERIFY DIMENSIONS AND SCOPE OF WORK PRIOR TO BID

CERTIFIED FIRM/RENOVATOR REQUIRED

PROVIDE AGENCY WITH INSULATION INSTALLATION CERTIFICATE

PRE-WORKL BD- 4567 @ -50

POST WORK TARGET IS 2250 @ -50

AUDIT DATE- 3/17/12

Client Name:

Client ID: 40004CL1024

Alt. Client ID: MONTGOMERY

Work Order (Bid Form)

Work Order Name: WO/40004CL1024

Report Run On: 3/18/2012

DOE Weatherization Assistant

Version 8.6.0

Page 1 of 7

Measures

Measure 1 Infiltration Redctn

Components

Inspected

- Comment** 1. INSTALL W/S AND SWEEPS ON TWO FRONT AND ONE BACK EXTERIOR DOORS.
INSTALL W/S INCLUDING SWEEP ON THE DOOR THAT GOES TO THE ATTIC FROM THE KITCHEN
2. CLEAR CAULK OBVIOUS GAPS IN THE CEILING, TO WALL CORNERS- INCLUDING AROUND BED MOLD CROWN. APPROXIMATELY- 285 LIN. FT.
3. REPAIR HOLE IN THE SUBFLOOR @ BACK BEDROOM DOOR- 1 SQ. FT.
4. SEAL PANELING IN THE BEDROOM CLOSETS - WALLS AND CEILING
5. SEAL PLUMBING PENETRATIONS UNDER THE KITCHEN AND BATH SINKS- MAY REQUIRE REPAIRING CABINET BASE
6. SEAL THE PERIMETER OF THE BREAKER BOX
7. CLEAR CAULK CASINGS TO JAMB AND WALL INTERIOR AND EXTERIOR WINDOWS AND DOORS- APPROXIMATELY 965 LIN. FT.
8. NEATLY APPLY CLEAR CAULK OR FOAM TO SEAL THE BASEBOARD TO THE FLOOR AND WALL, ESPECIALLY IN THE KITCHEN

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
10	Miscellaneous Su	Infiltration Reduction	Each	1					
11	Labor	LABOR	Hour						
Other Detail									
Measure Sub Total:							Sub Total:		

Field Notes:

Client Name:
Client ID: 40004CL1024
Alt. Client ID: MONTGOMERY

Work Order (Bid Form)
Work Order Name: WO/40004CL1024
Report Run On: 3/18/2012

DOE Weatherization Assistant
Version 8.6.0
Page 2 of 7

Measure 2 DWH Tank Insulation**Components****Inspected****Comment** 40 GALLON ELECTRIC IN THE UTILITY ROOM☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Hot Water Equip	DHW Tank Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	DHW Tank Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 3 Lighting Retrofits****Components L1****Inspected****Comment**☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Lighting	Compact Fl. - 13 Watt	Each Lamp	6	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Compact Fl. - 13 Watt	Each Lamp	6	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 40004CL1024

Alt. Client ID: MONTGOMERY

Work Order (Bid Form)

Work Order Name: WO/40004CL1024

Report Run On: 3/18/2012

DOE Weatherization Assistant

Version 8.6.0

Page 3 of 7

Measure 4 Install/Replace Heatpump**Components** H1,AC1**Inspected**

Comment REPLACE THE LIVING ROOM WINDOW A/C UNIT WITH A NEW WINDOW
HEAT PUMP-15 SEER 14 KBTU- WIRING MAY BE REQUIRED- PROPER
INSTALLATION REQUIRES THAT THE NEW UNIT BE WEATERIZED IN
THE WINDOW

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Heating Equipmen	Heatpump -	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Heatpump -	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 5 DWH Pipe Insulation****Components****Inspected****Comment**☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	DHW Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	DHW Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 40004CL1024

Alt. Client ID: MONTGOMERY

Work Order (Bid Form)

Work Order Name: WO/40004CL1024

Report Run On: 3/18/2012

DOE Weatherization Assistant

Version 8.6.0

Page 4 of 7

Measure 6 Attic Ins. R-38**Components** A1,A2**Inspected**

Comment DENSE PACK UNDER FLOORING, CONTACT OWNER PRIOR TO APPOINTMENT TO CLIENT TO MOVE ITEMS ALLOWING MEASURE TO BE ACCOMPLISHED IN A WORKMANLIKE MANNER
PREP ATTIC IN ACCORDANCE WITH THE TWFG- ONE BRICK CHIMNEY EXISTS

☐

INSULATE THE CEILING OF THE DOWNSTAIRS LIVING SPACE

VENT KITCHEN EXHAUST FAN TO THE OUTSIDE WITH A DAMPER

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Attic Insulation - Cellulose, Blown - R-38	SqFt	741	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Attic Insulation - Cellulose, Blown - R-38	SqFt	741	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3	Insulation	Attic Insulation - Cellulose, Blown - R-38	SqFt	320	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
4	Labor	Attic Insulation - Cellulose, Blown - R-38	SqFt	320	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 40004CL1024

Alt. Client ID: MONTGOMERY

Work Order (Bid Form)

Work Order Name: WO/40004CL1024

Report Run On: 3/18/2012

DOE Weatherization Assistant

Version 8.6.0

Page 5 of 7

Measure 7 Wall Insulation**Components** E1,N1,N2,S1,W1,W
2**Inspected**

Comment THE EXTERIOR OF THE HOUSE HAS HORIZONTAL WOOD SIDING.
WOOD PANELING OVER WALL BOARD EXISTS IN THE MAJORITY OF
THE INTERIOR

☐

IT IS AT THE CONTRACTORS DISCRETION TO DO THE DENSE PACK
FROM THE INSIDE OR THE OUTSIDE.

NO PLUGS WILL BE VISIBLE UPON COMPLETION

IF DENSE PACK IS DONE FROM THE INSIDE- TENT TO MINIMIZE MESS,
AND INSTALL CHAIR RAIL TO COVER HOLES

IF DONE FROM THE OUTSIDE, REMOVE AND REPLACE SIDING AFTER
INSULATION INSTALL.

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Wall Insulation - Cellulose, Blown - 2x4 Filled	SqFt	976.6	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Wall Insulation - Cellulose, Blown - 2x4 Filled	SqFt	976.6	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total:						<input type="text"/>	Sub Total:	<input type="text"/>

Field Notes:

Client Name:

Client ID: 40004CL1024

Alt. Client ID: MONTGOMERY

Work Order (Bid Form)

Work Order Name: WO/40004CL1024

Report Run On: 3/18/2012

DOE Weatherization Assistant

Version 8.6.0

Page 6 of 7

Measure 8 Install Bathroom Exhaust Fan**Components****Inspected**

Comment INSTALL NEW BATH FAN- EXHAUST TO OUTSIDE WITH VENT KIT INCLUDING DAMPER. WIRING REQUIRED

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Bathroom exhaust fan	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Hour	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 9 PressureRelief Piping Needed****Components****Inspected**

Comment INSTALL A PRESSURE RELIEF DISCHARGE PIPE- TERMINATE 6" ABOVE FLOOR OR OUTSIDE THE DWELLING. THE DISCHARGE PIPE SHOULD BE MADE OF RIGID METAL PIPE OR APPROVED HIGH TEMPERATURE PLASTIC PIPE

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Pressure relief piping	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Work Order Grand Total:****Grand Total:**

Client Name:

Client ID: 40004CL1024

Alt. Client ID: MONTGOMERY

Work Order (Bid Form)

Work Order Name: WO/40004CL1024

Report Run On: 3/18/2012

DOE Weatherization Assistant

Version 8.6.0

Page 7 of 7